

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In the Application of)	
Seiichiro Udagawa)	Examiner: Leonard J. Weinstein
)	
Title: CHEMICAL LIQUID)	Group Art Unit: 3746
APPARATUS AND)	
DEAERATING METHOD)	Confirmation No.: 7905
)	
Patent No.: 7,594,801)	Our Docket No.: 4724-0019WOUS
)	
Issued On: September 29, 2009)	

Hartford, Connecticut, November 3, 2009

Attn: Certificate of Corrections Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

REQUEST FOR CERTIFICATE OF CORRECTION UNDER 37 C.F.R. 1.322

S I R:

In proofreading the above-referenced patent, an error was noted which is believed to possibly lead to confusion and/or mistake. Accordingly, the issuance of a Certificate of Correction is requested under Rule 1.322.

Under FOREIGN PATENT DOCUMENTS on page 2 please delete "JP 53-110636 A" and replace it with "JP 63-110636 A".

Enclosed please find Form PTO/SB/44 indicating the requested change.

As this error is on the part of the Patent Office, Patentee believes no fee is due for filing this request. However, if it is determined that a fee is required, please charge Deposit Account No. 13-0235. If there are any questions, Patentee's Attorney should be contacted at the below listed telephone number.

Respectfully submitted,

By /John C. Linderman/
John C. Linderman
Registration No. 24,420
Attorney for Patentee

Customer No. 35301
McCormick, Paulding & Huber LLP
Cityplace II, 185 Asylum Street
Hartford, Connecticut 06103-3402
Tel. (860) 549-5290
Fax (860) 527-0464